

Navel Guard

Revision: 04/03/2024
Supersedes Version: 07/17/2017**1. Product and Company Identification**

Product Code: 00030
Product Name: Navel Guard
Company Name: SCG-Solutions, LLC
 1358 South 9th Street
 De Pere, WI 54115
Phone Number:
 (920)217-1214

Emergency Contact: CHEMTREC Reference: CCN 727645 (800)424-9300
Information: Sales & Information (920)217-1214

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Warning

GHS Hazard Phrases: H315+320 - Causes skin and eye irritation.

GHS Precaution Phrases: P233 - Keep container tightly closed.

GHS Response Phrases: P264 - Wash hands thoroughly after handling.
 P370+378 - In case of fire, use water fog to extinguish.
 P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+313 - If eye irritation persists, get medical advice/attention.
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P312 - Call a POISON CENTER/doctor/... if you feel unwell.
 P403+235 - Store in cool/well-ventilated place.
 P403+233 - Store container tightly closed in well-ventilated place - if product is as volatile as to generate hazardous atmosphere.
 P405 - Store locked up.

GHS Storage and Disposal Phrases:

Potential Health Effects Chronic: Prolonged or repeated skin contact may cause defatting and dermatitis.
(Acute and Chronic):

Inhalation: Moderately irritating to eyes and respiratory tract.

Skin Contact: May cause irritation with pain and stinging, especially if the skin is abraded.

Eye Contact: Moderately irritating to the eyes.

Ingestion: Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
13968-08-6	Ike-Joe (acidified water)	<=15.0 %
67-63-0	Isopropyl alcohol	< 7.0 %
68608-89-9	Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts	< 4.0 %

*The exact percentages (concentration) of composition have been withheld as a trade secret.

Navel Guard

Revision: 04/02/2024
Supersedes Version: 07/17/2017

4. First Aid Measures

Emergency and First Aid Procedures:**In Case of Inhalation:**

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact:

In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.

In Case of Eye Contact:

In case of contact, immediately flush eyes with plenty of water for a t least 15 minutes. Get medical aid.

In Case of Ingestion:

Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, have victim lean forward.

Note to Physician:

Urine acetone test may be helpful in diagnosis. Hemodialysis should be considered in severe intoxication. None known.

5. Fire Fighting Measures

Flash Pt: NP 0.00 C (32.0 F)

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: NP 0.00 C

Suitable Extinguishing Media: Use extinguishing media appropriate to surrounding fire conditions.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Use water spray to keep fire-exposed containers cool. Flammable liquid and vapor. May form explosive peroxides. Vapors are heavier than air and may travel to a source of ignition and flash back.

Flammable Properties and Hazards: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Use proper personal protective equipment as indicated in Section 8.

Material Is Released Or Spilled: Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

7. Handling and Storage

Precautions To Be Taken in Handling: Keep container tightly closed in a dry and well-ventilated place.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
13968-08-6	Ike-Joe (acidified water)	No data.	No data.	No data.
67-63-0	Isopropyl alcohol	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.
68608-89-9	Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts	No data.	No data.	No data.

Navel Guard

Revision: 04/03/2024
Supersedes Version: 07/17/2017

11. Toxicological Information

Toxicological Information: No data available.**Carcinogenicity/Other Information:** CAS# 67-63-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
13968-08-6	Ike-Joe (acidified water)	n.a.	n.a.	n.a.	n.a.
67-63-0	Isopropyl alcohol	n.a.	3	A4	n.a.
68608-89-9	Benzenesulfonic acid, mono-C11-13-branched alkyl derivs sodium salts	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Information:

Ecotoxicity: Fish: Fathead Minnow: 1000 ppm; 96h; LC50Daphnia: 1000 ppm; 96h; LC50Fish: Gold orfe: 8970-9280 ppm; 48h; LC50 IPA has a high biochemical oxygen demand and a potential to cause oxygen depletion in aqueous systems, a low potential to affect aquatic organisms, a low potential to affect secondary waste treatment microbial metabolism, a low potential to affect the germination of some plants, a high potential to biodegrade (low persistence) with unacclimated microorganisms from activated sludge.

Environmental: Not regulated.

Physical: THOD: 2.40 g oxygen/g COD: 2.23 g oxygen/gBOD-5: 1.19-1.72 g oxygen/g.

Other: No information available.

13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. RCRA P-Series: None listed.
RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

Packing Group:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not Regulated.

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

Navel Guard

Revision: 04/03/2024
Supersedes Version: 07/17/2017

15. Regulatory Information

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
13968-08-6	Ike-Joe (acidified water)	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
67-63-0	Isopropyl alcohol	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory, 4 Test; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: Yes - 1076; NY Part 597: No; PA HSL: Yes - E; SC TAP: No; WI Air: No
68608-89-9	Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., sodium salts	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No

16. Other Information

Revision Date: 04/03/2024

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

THE INFORMATION CONTAINED HEREIN is based upon the best information available and is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in this document and the product label. Furthermore, the vendor assumes no responsibility for injury caused by abnormal use or misuse of this product even if reasonable safety procedures are followed.